



**Sanfebagar Municipality**  
**Office of Municipal Executive**  
**Sanfebagar, Achham**  
**Sudurpashchim Province, Nepal**


**Invitation for Catalogue Shopping of Transport Truck (Trailor)**

(First day of publication 2077/07/20)

Sanfebagar Municipality, Achham intends to procure Transport Truck (Trailor) listed on the table below, under the Catalogue shopping procedure as described on the Public Procurement Act, 2063. All the eligible manufacturers or authorized dealers are invited to submit sealed proposal with their catalogue containing technical data, specifications, price and services within **15 (Fifteen)** days of first publication date during office hour. The manufacturers or authorized dealer must submit copy of Firm registration certificate, Copy of Business Registration Certificate, Copy of VAT and PAN Registration Certificate, Copy of Tax Clearance Certificate / Tax Return Certificate for the F/Y 2076/77, Self declaration letter and the letter of manufacturer's authorization along with the application.

S.No.	General Specifications	Quantity	Remarks
1	Supply and Delivery Transport Truck Ten Wheeler (Trailor) as per approved Technical Specification	1 unit	As per approved technical specification

For any Query and for Detailed Specification please visit [www.sanfebagarmun.gov.np](http://www.sanfebagarmun.gov.np).

  
.....  
Chief administrative Officer

नि. प्रमुख प्रशासकीय अधिकृत

# 1. Technical Specifications

TRANSPORT TRUCK(TENWHEELER),(6X4)RHD

Qty.:1 Unit

S.N.	CRITERIA	DEPARTMENTAL REQUIREMENT	OFFERED SPECIFICATION
1	General	Right Hand (6x4) drive systems, heavy duty transport truck with all steel rectangular body with flat bottom hard wood on steel plate cargo deck for transfer of equipment like dozers and loaders. The deck loading area dimension of minimum 6.5mx2.5m. Truck should be suitable for operation in hilly roads and adverse climatic conditions at ambient temperature varying between -5 to 50 degree centigrade.	Make: Model: Country of Origin :
2	Engine	Turbo charged inter cooled diesel engine developing net maximum output not less than 130KW and maximum torque should not be less than 650Nm (engine fully equipped with accessories) at the governed speed for full load operation. Shall be Equipped with cold starting device, heavy duty air cleaner, heavy duty fuel filter system, and direct electric starting system with heavy duty batteries and fuel tank with water collection chamber and drain tap.	Make : Model :
3	Performance	Gross Vehicle weight : Not less than 25,000 kg Pay load : Not less than 15,000 Kg Maximum climbing ability : Not less than 18%	
4	Emission Standard	The emission standard the offered vehicle must be in compliance with or superior than the applicable Standard as prescribed by "Nepal Vehicle Mass Emission Standard 2069" which is to be certified by Department of Transport Management.	
5	Gauges	Gauges or meters as necessary for efficient operation and maintenance.	
6	Axles	Front : Steel heavy duty I beam , Reverse Elliot Rear : Heavy duty full floating tandem axle.	
7	Suspension	Front : Heavy duty Semi Elliptical leaf springs with shock absorbers or equally suitable type. Rear semi elliptical multi leaf spring or equally suitable type.	
8	Transmission	Manual shift at least five forward and one reverse, all forward synchromesh.	

नि. प्रमुख प्रशासकीय अधिकृत



9	Steering	<b>Power assisted or power steering</b>	
10	Brakes	<b>Full air operated</b> type, engine exhaust brake and separate parking brake, and emergency brake in case of loss of air pressure.	
11	Tyres	Standard Size	
12	Cabin	All steel construction with insulated roof, Right hand drive, laminated wind-screen, wipers, glass window on doors, rear window, thorough ventilating system and sun visors. Comfortable seat with adjustable seat for driver.	
13	Essential Accessories	a) Head light, tail and rear light and turn Signals, Cabin lights. b) Front and rear two hooks. c) Heavy duty front bumper. d) Spare wheel with tire and tubes. e) Hydraulic jack. f) Lashing rings on side with screw anchor shackle minimum 4 on each side and two on rear. g) Manual Winch (3ton) with chain or cable - 4sets h) Transportation Cable(10m) with 14mm diameter- 4sets	
14	Chassis & Frame	Heavy duty section channel steel.	
15	Clutch	Heavy duty Hydraulic controlled disc type clutch	
16	Instructions	All signs and instructions in the equipment shall be in English.	
17	Manuals	The supplier shall provide the following documents to the end user when the Goods are delivered at the site: 1. One copy of the Operator's and Owner's Instructions and Maintenance manual in English shall be supplied with the equipment 2. One copy of following manuals in English shall be supplied: a) Spare parts catalogue b) Comprehensive workshop manual	
18	Tools	A set of tools as required or general maintenance shall be supplied within a lockable tool box for each unit.	
19	Color	Standard Color / Construction Yellow	
20	Proven performance	The machine offered shall be a current model under standard production by the manufacture for at least one year.	

प्रमुख प्रशासकीय अधिकृत

21	Warranty	Manufacturer shall provide a minimum of one year warranty after acceptance.	
22	Initial Service	The supplier shall provide with the equipment all the necessary filters and spare parts required for the first two services, after the equipment has been commissioned and accepted.	
23	Delivery	The Transport Truck Ten Wheeler, (6x4,RHD) 1 unit shall be delivered to: Sanfebagar Municipality, Office of the Municipal Executive, Sanfebagar, Achham ,Nepal	

- a) The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offer as per ITB31.3.
- b) The bidder is required to submit documentary evidence showing that the manufacturer's representative in Nepal has been providing after sale services, as mentioned in *Section III, Evaluation and Qualification Criteria/Qualification requirements(d)*].

Bidder's Signature.....

Date .....

नि. प्रमुख प्रशासकीय अधिकृत

